


In the Claims


1-5. (canceled)

6. (currently amended) An additive mixture ~~according to claim 1~~ containing components (A), (B) and (C), wherein


component (A) is at least one compound selected from the group consisting of ~~the~~ formulae (I-1), (I-2) and (I-3);



(I-1)




(I-2)



(I-3)

component (B) is the compound of ~~the~~ formula (II-1); and



component (C) is at least one lubricant selected from the group consisting of Fischer-Tropsch wax, high-pressure polyethylene wax, Ziegler-Natta polyethylene wax, metallocene polyethylene wax, Ziegler-Natta polypropylene wax, stearamide, erucamide and oleamide,

wherein the Fischer-Tropsch wax, high-pressure polyethylene wax, Ziegler-Natta polyethylene wax, metallocene polyethylene wax and Ziegler-Natta polypropylene wax have a molecular weight Mw of more than 800 g/mol and less than 20,000 g/mol.


7. (canceled)

8. (currently amended) An additive mixture according to claim 61 containing the components (A), (B), (C) and (D) ~~and optionally (C)~~, wherein component (D) is at least one phenolic antioxidant which is different from component (B).

9. (currently amended) An additive mixture according to claim 61 containing the components (A), (B), (C) and (D) ~~and optionally (C)~~, wherein component (D) is at least one phenolic antioxidant selected from esters of β -(3,5-di-tert-butyl-4-hydroxyphenyl)propionic acid, β -(5-tert-butyl-4-hydroxyphenyl)propionic acid and β -(3,5-dicyclohexyl-4-hydroxyphenyl)propionic acid.


10. (currently amended) An additive mixture according to claim 87 wherein

component (A) is a compound of ~~the~~ formula (I-2),



(I-2)


component (B) is a compound of the formula (II-1),



(II-1)

and

component (D) is a compound of the formula (III-1)



(III-1) .

11. (currently amended) An additive mixture according to claim 87 containing ~~the components (A), (B) and (D) and optionally (C) and optionally~~ one or more further components selected from the group consisting of metal (I) or (II) salts of fatty acids, metal (II) oxides, dihydrotalcite, phosphites, phosphonites, organic sulfides and organic disulfides.

12. (currently amended) A composition containing the components (I) and (II) wherein **component (I)** is a polypropylene homopolymer, random copolymer, alternating or segmented copolymer, block copolymer or a blend of polypropylene with another synthetic polymer; and **component (II)** is the additive mixture according to claim 64.

13. **(original)** A composition according to claim 12 wherein component (I) is a polypropylene homopolymer.

14. **(original)** A composition according to claim 12 wherein component (I) is a polypropylene random copolymer, alternating or segmented copolymer or block copolymer, containing one or more comonomers selected from the group consisting of ethylene, C₄-C₂₀α-olefin, vinylcyclohexane, vinylcyclohexene, C₄-C₂₀alkanediene, C₅-C₁₂cycloalkandiene and norbornene derivatives.

15. **(original)** A composition according to claim 12 wherein component (I) is a polypropylene copolymer, manufactured by copolymerisation of at least 75 % by weight of propylene with ethylene or another alpha-olefin comonomer, which is selected from linear or branched butene, linear or branched pentene, linear or branched hexene and linear or branched octene.

16. **(canceled)**

17. **(currently amended)** A method for clarifying a polypropylene homopolymer, random copolymer, alternating or segmented copolymer, block copolymer or a blend of polypropylene with another synthetic polymer, which comprises incorporating therein an additive mixture according to claim 64.

18-28. **(canceled)**

29. **(new)** A method for improving the processibility of a polymer which comprises incorporating and dispersing therein an additive mixture according to claim 6.